


### 粉末漆的消耗量

根据简化的计算等式：消耗量  $\text{g/m}^2 = \text{密度} \times \text{涂层厚度}$

图示



表格

不同涂层厚度时的消耗量，单位：g/m <sup>2</sup>						
密度，单位：g/cm <sup>3</sup>	50µm	60µm	70µm	80µm	90µm	100µm
1.2	60.0	72.0	84.0	96.0	108.0	120.0
1.3	65.0	78.0	91.0	104.0	117.0	130.0
1.4	70.0	84.0	98.0	112.0	126.0	140.0
1.5	75.0	90.0	105.0	120.0	135.0	150.0
1.6	80.0	96.0	112.0	128.0	144.0	160.0
1.7	85.0	102.0	119.0	136.0	153.0	170.0
1.8	90.0	108.0	126.0	144.0	162.0	180.0
1.9	95.0	114.0	133.0	152.0	171.0	190.0
2.0	100.0	120.0	140.0	160.0	180.0	200.0