

FreiLacke



FreiLacke Automix

Highest degree of flexibility. Fully automated tinting system for high-quality industrial coatings



FreiLacke Automix

„tint-tilating“

The functional principle

Prefilled packages of binding agents are tinted according to customer demand and requirements with the fully automated tinting system. Two-based coating systems, specially designed for industrial users, are used here. This means that the necessary pigment pastes can be fed into either a pre-tinted or transparent binding agent (depending on the required colour) according to the precisely developed formulation.

The result

Maximum reproducibility due to the formulation-controlled, fully automated dosing of all pigment pastes. No compromises were made in terms of quality for either the binding agents or the required pigment pastes which is why, with the use of associated hardener systems, high-quality two-component coatings emerge that do not need to shy away from outdoor use.

The products

Solvent-based 2C coatings (structured and smooth), as well as water-thinnable smooth coatings, which are created as 2C coatings or as high-quality 1C baking coatings, are available.



Individual and customer-oriented

with the fully automated tinting system.

The systems

On the system side, the users can select between different machine types with different outputs and suitable shakers for the homogeneous mixing of the coatings. Due to the network connection, all users of the FreiLacke AUTOMIX system also incorporate the latest knowledge regarding the available coating formulations. If new colours for which no coating formulation is yet available are required, the formulations are worked out at FreiLacke and transmitted to the formulation database at the touch of a button. They can then be called up by the user without additional effort. There is no faster way.

Even concerning the monetary investment, there are various financing models available to the user.



The advantages

- Shortest access times
- Maximum flexibility
- Proven FreiLacke industry coating quality
- Repeatable reproducibility of colours
- Extensive formulation database



Are you interested?

Contact our experts: automix@freilacke.de



- Räder
Wheels
- Fahrzeugbau
Vehicle construction
- Maschinen- und Apparatebau
Mechanical engineering
- Lohnbeschichter
Job coaters
- Funktionsmöbel und Lagertechnik
Functional furniture and storage technology
- Bau und Sanitär
Construction and sanitary



FreiLacke | Emil Frei GmbH & Co. KG
Am Bahnhof 6
78199 Bräunlingen/Döggingen

Tel. +49 7707 151-0
Fax +49 7707 151-238

info@freilacke.de
www.freilacke.de